Author Index of Volume 50

Adell, A., 391
Akiyama, Y., 361
Alfons, H.A., 27
Anis, W.R., 1, 27
Annamma, C.V., 81
Antonucci, V., 177, 295
Aravamuthan, S., 81
Aricò, A.S., 177, 295
Ashok, G., 331

Barman, S.R., 295
Bejoy Kumar, U., 283
Bui, N., 141

Chan, D.S., 163, 261
Chen, Z.W., 47

Dabosi, F., 141
Deng, Z., 369
Djordjevic, A.B., 97
Doty, R.E., 57

Fabjan, Ch., 153
Frackowiak, E., 21

Ganesan, M., 321, 331
Ganesh, S., 331
Gangadharan, R., 283
Gillian, W.F., 47
Giordano, N., 177, 295
Gnana Sahaya Rosilda, L., 321
Gofas, N., 153
Gossen, C.A., 311
Gromb, S., 391

Hamdy, M.A., 11
Hoogestraat, G., 131

Ilangovan, S.A., 33

Kadowaki, M., 361
Kapali, V., 321, 331
Kivisaari, J., 109, 121
Kronberger, H., 153
Kulandainathan, M.A., 321

Leczykiewicz, T., 21
Ligtvoet, A.C.P., 395
Lim, H.S., 57
Lindström, O., 109

Mulder, W.H., 89

Nair, M.J., 81
Nour, M.A., 1

Patnaik, R.S.M., 331
Pillai, N.R., 81
Prabhu, P.V.S.S., 283
Prem Kumar, T., 283
Prout, L., 193

Ranganathan, R., 283
Ravikumar, M.K., 295
Reksc, W., 21
Roy, A., 295

Saakes, M., 89, 395
Saitoh, T., 361
Sarma, D.D., 295
Schmal, D., 395
See, J.B., 47
Shukla, A.K., 177, 295
Simon, P., 141
Srivastava, A.K., 283
Subrahmanyan, A., 383
Suresh, M.S., 375, 383

Taniguchi, S., 361
Tetzlaff, K.H., 311

Van Duin, P.J., 395
Verma, L.K., 187
Vijayamohanan, K., 67
Vinod, M.P., 67
Von Borstel, D., 131

Walz, R., 311
Wan, C.C., 163, 261
Wan, G., 369

Xu, Q., 369

Yang, S.-C., 343
Yasuo, T., 361

Zheng, Y., 369
Ziechmann, W., 131

Elsevier Science S.A.

Author Index of Volume 50

Adell, A., 391
Akiyama, Y., 361
Alfons, H.A., 27
Anis, W.R., 1, 27
Annamma, C.V., 81
Antonucci, V., 177, 295
Aravamuthan, S., 81
Aricò, A.S., 177, 295
Ashok, G., 331

Barman, S.R., 295
Bejoy Kumar, U., 283
Bui, N., 141

Chan, D.S., 163, 261
Chen, Z.W., 47

Dabosi, F., 141
Deng, Z., 369
Djordjevic, A.B., 97
Doty, R.E., 57

Fabjan, Ch., 153
Frackowiak, E., 21

Ganesan, M., 321, 331
Ganesh, S., 331
Gangadharan, R., 283
Gillian, W.F., 47
Giordano, N., 177, 295
Gnana Sahaya Rosilda, L., 321
Gofas, N., 153
Gossen, C.A., 311
Gromb, S., 391

Hamdy, M.A., 11
Hoogestraat, G., 131

Ilangovan, S.A., 33

Kadowaki, M., 361
Kapali, V., 321, 331
Kivisaari, J., 109, 121
Kronberger, H., 153
Kulandainathan, M.A., 321

Leczykiewicz, T., 21
Ligtvoet, A.C.P., 395
Lim, H.S., 57
Lindström, O., 109

Mulder, W.H., 89

Nair, M.J., 81
Nour, M.A., 1

Patnaik, R.S.M., 331
Pillai, N.R., 81
Prabhu, P.V.S.S., 283
Prem Kumar, T., 283
Prout, L., 193

Ranganathan, R., 283
Ravikumar, M.K., 295
Reksc, W., 21
Roy, A., 295

Saakes, M., 89, 395
Saitoh, T., 361
Sarma, D.D., 295
Schmal, D., 395
See, J.B., 47
Shukla, A.K., 177, 295
Simon, P., 141
Srivastava, A.K., 283
Subrahmanyan, A., 383
Suresh, M.S., 375, 383

Taniguchi, S., 361
Tetzlaff, K.H., 311

Van Duin, P.J., 395
Verma, L.K., 187
Vijayamohanan, K., 67
Vinod, M.P., 67
Von Borstel, D., 131

Walz, R., 311
Wan, C.C., 163, 261
Wan, G., 369

Xu, Q., 369

Yang, S.-C., 343
Yasuo, T., 361

Zheng, Y., 369
Ziechmann, W., 131

Elsevier Science S.A.

Subject Index of Volume 50

Alkaline fuel cells
alkaline falling-film fuel cell. A breakthrough in technology and cost, 311
Alkaline media
influence of inhibitors on corrosion and anodic behaviour of different grades of aluminium in alkaline media, 321
Alloys
corrosion behaviour of low-antimony lead alloy in sulfuric acid solution, 47
Alloy separator
surface treatment of alloy separator in a planar-type solid oxide fuel cell, 361
Aluminium
influence of inhibitors on corrosion and anodic behaviour of different grades of aluminium in alkaline media, 321
Aluminium/air batteries
heat management in aluminium/air batteries: sources of heat, 331
Aluminium–carbon cell
studies on an aluminium–carbon cell, 187
Antimony
corrosion behaviour of low-antimony lead alloy in sulfuric acid solution, 47

Batteries
determination of impedance parameters of individual electrodes and internal resistance of batteries by a new non-destructive technique. 2. Theoretical approach, 33
Battery performance
simulation of the discharge curve by short-time discharge based on the power of internal resistance, 97

Carbon
methanol oxidation on carbon-supported platinum–tin electrodes in sulfuric acid, 295
Catalyst
influence of PTFE dispersion in the catalyst layer of porous gas-diffusion electrodes for phosphoric acid fuel cells, 163
Cathodic protection system
photovoltaic-powered regulated cathodic-protection system, 27
Cobalt
migration of cobalt in nickel oxide/hydroxide active material of a nickel electrode in a Ni/H_2 cell, 57
Conductivity
conductivity and viscosity studies of dimethyl sulfoxide (DMSO)-based electrolyte solutions at 25 °C, 283
Corrosion
corrosion behaviour of low-antimony lead alloy in sulfuric acid solution, 47
influence of inhibitors on corrosion and anodic behaviour of different grades of aluminium in alkaline media, 321
Current
a new model for the current–voltage output characteristics of photovoltaic modules, 11
Current–potential data
digital simulation of galvanostatic current–potential data for gas-diffusion electrodes and estimation of electrode-kinetic parameters, 177

Dimethyl sulfoxide
conductivity and viscosity studies of dimethyl sulfoxide (DMSO)-based electrolyte solutions at 25 °C, 283
Discharge time
simulation of the discharge curve by short-time discharge based on the power of internal resistance, 97
Dissipation energy
a calculation of the heat dissipation resulting directly from poor thermal conduction inside a solar collector using an energy balance equation, 391

Electrode-kinetic parameters
digital simulation of galvanostatic current–potential data for gas-

diffusion electrodes and estimation of electrode-kinetic parameters, 177
Electrodes
determination of impedance parameters of individual electrodes and internal resistance of batteries by a new non-destructive technique. 2. Theoretical approach, 33
efficiency of lignosulfonates and humic-related substances as expanders in negative electrodes of the lead/acid system, 131
methanol oxidation on carbon-supported platinum–tin electrodes in sulfuric acid, 295
Electrolyte solutions
conductivity and viscosity studies of dimethyl sulfoxide (DMSO)-based electrolyte solutions at 25 °C, 283
Expanders
efficiency of lignosulfonates and humic-related substances as expanders in negative electrodes of the lead/acid system, 131

Faradaic efficiency
an approximate model for estimating the faradaic efficiency loss in zinc/bromine batteries caused by cell self-discharge, 343

Gas-diffusion electrodes
the meniscus cell — partially immersed gas-diffusion electrodes. 2. Modelling, 121
influence of PTFE dispersion in the catalyst layer of porous gas-diffusion electrodes for phosphoric acid fuel cells, 163
digital simulation of galvanostatic current–potential data for gas-diffusion electrodes and estimation of electrode-kinetic parameters, 177
effect of structure on porous gas-diffusion electrodes for phosphoric acid fuel cells, 261
Grids
aspects of lead/acid battery technology. 9. Grids, 193

Heat
heat management in aluminium/air batteries: sources of heat, 331
Humes
efficiency of lignosulfonates and humic-related substances as expanders in negative electrodes of the lead/acid system, 131
Hydrogen-electrode reactions
effect of gelling on the electrode kinetics of the $Pb/PbSO_4$ and hydrogen-electrode reactions in maintenance-free lead/acid batteries, 67
Hydrolysis
impedance of nickel/cadmium cells with nylon separator hydrolysate, 375

Impedance parameters
determination of impedance parameters of individual electrodes and internal resistance of batteries by a new non-destructive technique. 2. Theoretical approach, 33
Inhibition
influence of inhibitors on corrosion and anodic behaviour of different grades of aluminium in alkaline media, 321
Internal resistance
determination of impedance parameters of individual electrodes and internal resistance of batteries by a new non-destructive technique. 2. Theoretical approach, 33
simulation of the discharge curve by short-time discharge based on the power of internal resistance, 97

Lead
corrosion behaviour of low-antimony lead alloy in sulfuric acid solution, 47
Lead/acid batteries
effect of gelling on the electrode kinetics of the $Pb/PbSO_4$ and hydrogen-electrode reactions in maintenance-free lead/acid batteries, 67
efficiency of lignosulfonates and humic-related substances as expanders in negative electrodes of the lead/acid system, 131
investigations of the factors causing performance losses of lead/acid traction batteries, 153
aspects of lead/acid battery technology. 9. Grids, 193
Lead/acid cells
investigations of the negative plate of lead/acid cells. 3. Model calculations of the impedance of self-similar porous electrodes, 89

Lead–tin alloys
an *in situ* study of the effect of tin on the passivation of lead–tin alloys, 141
Lignosulfonates
efficiency of lignosulfonates and humic-related substances as expanders in negative electrodes of the lead/acid system, 131
Lithium batteries
rechargeable lithium batteries with a polymeric single-ion conductor, 369

Maintenance-free batteries
effect of gelling on the electrode kinetics of the $Pb/PbSO_4$ and hydrogen-electrode reactions in maintenance-free lead/acid batteries, 67
Meniscus cell
the meniscus cell. 1. Experimental, 109
the meniscus cell — partially immersed gas-diffusion electrodes. 2. Modelling, 121
Methanol oxidation
methanol oxidation on carbon-supported platinum–tin electrodes in sulfuric acid, 295

Negative plate
investigations of the negative plate of lead/acid cells. 3. Model calculations of the impedance of self-similar porous electrodes, 89
Nickel/cadmium cells
studies on the storage of electrochemically impregnated nickel/cadmium cells, 81
impedance of nickel/cadmium cells with nylon separator hydrolysate, 375
Nickel/hydrogen cells
migration of cobalt in nickel oxide/hydroxide active material of a nickel electrode in a Ni/H_2 cell, 57
effects of charged open-stand in nickel/hydrogen cells, 383
Nickel electrodes
polypropylene fibre material as a carrier for nickel electrodes, 21
Nylon separator
impedance of nickel/cadmium cells with nylon separator hydrolysate, 375

Passivation
an *in situ* study of the effect of tin on the passivation of lead–tin alloys, 141
Performance losses
investigations of the factors causing performance losses of lead/acid traction batteries, 153
Phosphoric acid fuel cells
influence of PTFE dispersion in the catalyst layer of porous gas-diffusion electrodes for phosphoric acid fuel cells, 163
effect of structure on porous gas-diffusion electrodes for phosphoric acid fuel cells, 261
Photovoltaic cells
a new model for the current–voltage output characteristics of photovoltaic modules, 11
photovoltaic-powered regulated cathodic-protection system, 27
Photovoltaic system
optimum design of a photovoltaic powered pumping system, 1
Platinum
methanol oxidation on carbon-supported platinum–tin electrodes in sulfuric acid, 295
Polymeric conductor
rechargeable lithium batteries with a polymeric single-ion conductor, 369
Polypropylene fibres
polypropylene fibre material as a carrier for nickel electrodes, 21
PTFE
influence of PTFE dispersion in the catalyst layer of porous gas-diffusion electrodes for phosphoric acid fuel cells, 163

Rechargeable
rechargeable lithium batteries with a polymeric single-ion conductor, 369

Self-discharge
an approximate model for estimating the faradaic efficiency loss in zinc/bromine batteries caused by cell self-discharge, 343
Solar refrigeration
a calculation of the heat dissipation resulting directly from poor thermal conduction inside a solar collector using an energy balance equation, 391
Solid adsorbant
a calculation of the heat dissipation resulting directly from poor thermal

conduction inside a solar collector using an energy balance equation, 391
Solid oxide fuel cells
surface treatment of alloy separator in a planar-type solid oxide fuel cell, 361
Storage
studies on the storage of electrochemically impregnated nickel/cadmium cells, 81
Surface treatment
surface treatment of alloy separator in a planar-type solid oxide fuel cell, 361

Thermal conduction
a calculation of the heat dissipation resulting directly from poor thermal conduction inside a solar collector using an energy balance equation, 391
Tin
an *in situ* study of the effect of tin on the passivation of lead–tin alloys, 141
methanol oxidation on carbon-supported platinum–tin electrodes in sulfuric acid, 295

Viscosity
conductivity and viscosity studies of dimethyl sulfoxide (DMSO)-based electrolyte solutions at 25 °C, 283
Voltage
a new model for the current–voltage output characteristics of photovoltaic modules, 11

Water-pumping system
optimum design of a photovoltaic powered pumping system, 1

Zinc/bromine batteries
an approximate model for estimating the faradaic efficiency loss in zinc/bromine batteries caused by cell self-discharge, 343